

Personnel Qualificati Standa

FOR

LST-1179/1183 CLASS ENGINEERING

QUALIFICATION SECTION 7

MAIN PROPULSION

PQS USER'S GUIDE LST-1179/1183 CLASS, MAIN PROPULSION, QUAL 7

This guide will explain the Personnel Qualification Standards (PQ Program, what it is, and how to use it.

I. WHAT IS PQS?

PQS is a part of your Command's overall training program. It provides the "minimum" requirements to qualify on a Watchstation. It is method for qualifying officer and enlisted personnel in certain assign duties. These duties may consist of specific Watchstations (Throttlen Burnerman), or performance as a team member (Repair Party Team).

II. WHAT IS IN PQS?

Your shipboard PQS program consists of two parts:

A. The Standard Booklet requests answers with which the trained should be familiar and contains performance items the trainee is requited to complete to qualify on a Watchstation. Contained in this booklet a sign-off sheets for Fundamentals, Systems and Watchstations for final supervisor qualification. This booklet is a working document of your PQS progress and should be maintained by the user. Standards are write by naval personnel after asking themselves "What do I need to know to the job properly?"

The Standard booklet is made up of the following sections:

- 1. PQS USER'S GUIDE
- 2. DEFINITION OF WORDS USED IN PQS
- 3. CONTENTS
- 4. FUNDAMENTALS (100 SECTION)
 5. SYSTEMS (200 SECTION)
- OUALIFICATION CARDS
- 7. WATCHSTATIONS (300 SECTION)
- 8. FEEDBACK (CHANGE REQUEST) FORM
- B. The Progress Chart shows the Watchstations to which you have assigned and also records your progress in each Watchstation. The chawhich lists all division or work center personnel, is to be updated pe

Α. The Standard Numbering System

Each Fundamental, System, and Watchstation is assigned a fourgit number, in some cases followed by letters. This number also appears the top of each page for quick reference.

Example: 7206 7 - Indicates qualification area (7 = Engineering (Main Propulsion)) 206 - Indicates section 2 (System section) and that it is the 6th

> System NOTE: Subsections of the above number are identified by the addition of point numbers, i.e.

> > The last two numbers (.23) indicate the second topic, third item in the section being covered.

В. Qualification Group Numbering System

The Watchstation section (300) is divided into qualification groups. ur book may be used for more than one final qualification such as Engineroom

pervisor, Fireroom Supervisor, etc. Each group is indicated on a Final Qual ication Sign-Off Page as follows:

Example: NAVEDTRA 43110-702

7206.23

43110 - Denotes NAVEDTRA number assigned to the PQS package 7 - Indicates Engineering Main Propulsion Section 02 - Indicates the second qualification group

HOW TO USE THIS BOOKLET Fundamentals (100 Section) identify the basic knowledge required

do a job properly. Safety precautions that apply are also listed here. ur instructor, by asking appropriate questions as to required knowledge. d with your correct response, will sign you off on the Fundamentals and

stems Summary Page. At the end of each Fundamental and System section a list of reference books in which the answers can be found. Systems (200 Section). In systems, the equipment you are studying broken down into functional sections that may be compared to the electrical

- 3. WATCHSTATIONS (300 Series) require that you perform certain demonstrating proficiency at the Watchstation for which you are qualifyin
- The Watchstation section is divided into final qualification "groups" (Qu 1. Qual 2. etc.) with each group containing the following:
 - a. Final Qualification Sign-Off Page

Final record that is filed in your service jacket and recorded on your Page 4 upon final qualification

Qualification Summary (Watchstation Sign-Off) Page h.

Record of completion for particular Watchstations

- within a qualification group c. Fundamentals and Systems Summary Page
- Record of completion of Fundamentals and Systems required for all Watchstations in a qualification aroup
- d. Watchstation Task Sign-Off Pages

ification group V. HOW TO QUALIFY

Record of completion of performed tasks and instruction watches required by for each Watchstation in a qual-

Your division officer or work center supervisor will issue you a PQS booklet. Your supervisor will assign Watchstations and set time limits (goals) for completing your Watchstation qualification. Progress toward

- qualification will be monitored on the centrally located Progress Chart. Open your Standard booklet to your assigned Watchstation (300 Section). At the top of the page you will find the objective and a list
- of prerequisites that must be completed prior to proceeding with the Watchstation tasks. In many cases a junior Watchstation will be a prerequisite and must be completed before proceeding further.
- Complete the Safety Precautions Fundamentals first, then the res of the required Fundamentals and Systems. Your supervisor may require yo

VI. THE SUPERVISOR

assistance.

1. As a senior petty officer, you will be required to assign junior

personnel to complete specific Watchstations in PQS. When you do this, always look through the Standard booklet to determine other items that should be completed before work is started on the required Watchstations or related Fundamentals and Systems. If you are assigning more than one

i ind the diswell ask your supervisor of quartification fetty of item for

or related Fundamentals and Systems. If you are assigning more than one Watchstation or section to be completed, it is your decision to specify which one should be completed first. The supervisor is an extremely important part of PQS if it is to be successful. If you administer PQS with insight, you will find that PQS is a helpful tool that can fit into your

overall training plan. You will be responsible for the accuracy, updating, and tailoring of PQS to fit your command's needs, as well as for the initiation of appropriate feedback to the PQS Development Group (feedback forms are located in the back of each Standard booklet). You should provide motivation to your personnel by assigning goals, showing interest, and following the trainees' progress. The supervisor is responsible for training and should be the one to update and maintain the progress chart. It is importations are supported to the supervisor is responsible for training and should be the one to update and maintain the progress chart.

that the supervisor be aware of who is and who is not progressing, as well where counseling or individual instruction may be needed. A sample PQS progress chart can be found in the PQS Manager's Guide (NAVEDTRA 43100-1B). A supervisor you must be totally familiar with the duties, responsibilities

and assignments of your Qualification Petty Officers. Your PQS program can survive without good planning and quality control.

VII. THE QUALIFICATION PETTY OFFICER

- 1. Selection as a Qualification Petty Officer means that <u>you</u> are one of the ship's <u>subject matter experts</u> on those Fundamentals, Systems and Wat stations assigned to you. PQS cannot be successful without you. Your job to be totally knowledgeable in your assigned areas, to make yourself availat to check off your trainees' achievements, and to ensure a high-quality PQS
- gram is maintained in your division.

 2. Each Qualification Petty Officer should have a set of standard an for the Watchstations for which he is responsible so that all trainees rece the same answer. If multiple signatures are required for a line item, it is

preferable that one working day or one watch elapse between signatures. If the trainee does not know the correct answer, it is your responsibility to help find the answer in the reference material. This will speed up the pro of qualification and will familiarize your trainees with the use of publica

Obviously this requires that you know where all the answers can be found.

dual to discover discrepancies in the Standard booklet. Any discrepancies ted should be brought to the attention of your supervisor so that approprie tailoring and corrections can be made. It must be understood that the PQS oklet can be tailored to fit your ship's needs. Such tailoring is to be complished only with approval of your Commanding Officer or a designated ficial.

As the Qualification Petty Officer you will be the most likely indi-

DEFINITION OF WORDS USED IN PQS

COMPONENT - Major part of a system

COMPONENT PARTS - Major parts of components

FUNDAMENTALS - Basic facts and principles (100 Series in PQS)

<u>PARAMETERS</u> - Variables, such as temperature, pressure, voltage, current frequency having limits to be monitored usually shown on gauges or mete

SYSTEMS - Groups of components operating together to perform specific functions (200 Series in PQS)

SYSTEM INTERRELATIONS - (1) How outside influences affect the operation this system, or (2) How the operation of this system affects the operat of other systems or equipment

WATCHSTATIONS - Operator qualifications (300 Series in PQS) that includ duties, assignments or responsibilities an individual or group may be called on to perform (e.g., Engineroom Lower Level Watch, Fireroom Uppe Level Watch, Console Operator)

The following personnel, under the supervision of the PQS Development Group, made a significant contribution to the development of this PQS for LST 1179/1182 Class Engineering (Qual 7).

> ENC F. T. CARR ENC H. C. COLEMAN ENC B. W. COLLINS BT3 M. A. KREISELMEIER

ENC A. LAIRD

ENI L. LOVICK EN1 T. W. RILEY

ENC G. D. ROLLINS ENC W. P. WOODWARD

SSC Great Lakes

USS BARNSTABLE COUNTY (LST-USS MANITOWOC (LST-1180)

USS CAYUGA (LST-1186) USS MANITOWOC (LST-1180)

FTC Norfolk USS SCHENECTADY (LST-1185) USS TUSCALOOSA (LST-1187) FTC San Diego

CONTENTS

101 Mechanical 102 Diesel Engine Power Transmission 103 104 Auxiliary Boiler 105 Distilling Plant 106 Air-Conditioning and Refrigeration 107 Electromechanical 108 Engineering Administration 109 Safety Precautions SYSTEMS 7201 Potable Water Service and Transfer 7202 Fire and Flushing Pump 7203 Medium-Pressure (MP) Air Low-Pressure (LP)/Control Air 7204 7205 Air-Conditioning/Chilled Water 7206 Ship's Stores Refrigeration Plant Controllable Pitch (CP) Lube Oil 7207 Ship's Service Diesel Generator (SSDG) Engine 7208 Main Propulsion Diesel Engine 7209 7210 Main Drainage 7211 Main Shaft Bearings 7212 Main Reduction Gear 7213 Fuel Oil Service (Diesel) Main Lube Oil Transfer and Purification 7214 7215 Seawater Cooling 7216 Pitch Control 7217 Ballast Cooling Main Propulsion Shaft 7218 Fuel Oil Service, Transfer and Stripping 7219 Air Control 7220 7221 Auxiliary Boiler Submerged Tube Distilling Plant 7222 Lube Oil Transfer and Storage 7223 JP-5 Cargo and Transfer 7224

JP-5 Helicopter Fueling

Automotive Gacoline/MOGAS

7225

フつつに

UNDAMENTALS

)1

.6

1179/1182 Class ships:

c. Suction/discharge

Flexible coupling

a. LP air b. MP air

d.

Fuel transfer pump d. Lube oil transfer pump e. f. Fire and flushing pump Contaminated oil stripping pump q. h. Main eductor i. Coalescer filter/separator .5 Explain the application of the following: Strainer Gauges a. Filter b. Thermometers g. c. Relief valve h. Pressure alarm d. Pressure/regulating valve i. Manometer Air filter differential Temperature/regulating valve j. e.

Define the following as applied to shipboard engineering in LST

7101 MECHANICAL FUNDAMENTALS (CONT'D)

- .8 Describe the most vital requirements of the following:
 - a. Piping
 - b. Valveš

REFERENCES TO BE USED:

| Fireman Engineman 3 & 2 | Title | | | | | | | | |
|--|-------|---|---|---|--|--|--|--|--|
| | | 3 | & | 2 | | | | | |

Pub Number

NAVEDTRA NAVEDTRA

NAVEDTRA

NAVEDTRA

NAVSEA 0901-LP-5

- 3. Principles of Naval Engineering4. Naval Ships' Technical Manual, Chap 9550
- 5. Blueprint Reading and Sketching

- Describe the following types of drawings: .1 Schematic Cross section a. Simple sketch d. Block diagram h. .2 List the reference manuals or instructions used in your department. .3 Explain the principles of operation of the following: Fuel injection nozzle Fuel booster pump b. Fuel injection pump Turbocharger d. .4 Explain the application of the following equipment:
 - a. Lube oil pump
 b. Jacket water pump
 c. Raw water pump
 d. Heat exchangers
 e. Governor
 - Explain the protective functions of the following:
 - a. Governors (overspeed)b. Remote shutdownsc. Filterse. Gaugesf. Thermometersg. Pyrometers
- d. Strainers.6 Explain the meaning of the following as applied to diesel engines:
- a. Scavengingb. Turbochargec. Prelubed. Priming
 - e. Enclosed operating station (EOS) control
 f. Local control
 g. Pilot house control
 h. Control air

RPM

i.

.5

- .7 Describe the use and handling of the following:
 - Describe the use and handling of the following:
 - a. JP-5 d. Soluble oil

7102 DIESEL ENGINE FUNDAMENTALS (CONT'D)

REFERENCES TO BE USED:

Title

| 1. | Fireman |
|----|---------------------------------|
| 2. | Engineman 3 & 2 |
| 3. | Engineman 1 & C |
| 4. | Fundamentals of Diesel Engines |
| 5. | Blueprint Reading and Sketching |

Pub Numb

NAVEDTRA NAVEDTRA NAVEDTRA NAVEDTRA NAVEDTRA

Explain the basic principles of propeller pitch.

Describe the basic operation of the following:

POWER TRANSMISSION FUNDAMENTALS

Schematic

Stop shaft

Lock shaft

Fixed pitch

Variable pitch

Labyrinth seal

Footborodge cool

Syntron seal

С.

d.

a.

b.

a.

b.

.5

.6

.7

Simple sketch

Describe the following types of drawings:

7103

.1

.2

a.

b.

7

Cross section

Block diagram

Clutch in

Fixed pitch

q.

h.

Explain how each of the following accomplishes shaft-sealing act:

c.

d.

List the reference manuals or instructions used in your department

POWER TRANSMISSION FUNDAMENTALS (CONT'D) 03

REFERENCES TO BE USED:

| Τi | t٦ | е |
|----|----|---|
|----|----|---|

- Basic Machines
- 1. Naval Ships' Technical Manual, Chap 9430 2.
- 3. Machinist's Mate 3 & 2
- Blueprint Reading and Sketching 4.
- Engineman 3 & 2 5.

Pub Number

NAVSEA

0901-LP-430-0012 NAVEDTRA 10524

NAVEDTRA 10077

NAVEDTRA 10541

NAVEDTRA 10624

AUXILIARY BOILER FUNDAMENTALS

Describe a piping diagram.

. 1

.3

.4

- . 2 Explain the application of the following:

 - Auxiliary boiler a. e.
 - f. b. Steam drum Water gauges
 - Water drum Water level switch g. Saddles and supports Burners d.
 - Explain the applications of the following:
 - Safety valves a. Smokestack b.
 - Define the following terms:
 - Natural circulation a. Forced circulation b.

REFERENCES TO BE USED:

Title Pub Number Boiler Technician 3 & 2 NAVEDTRA 10535

Engineman 3 & 2

2. Naval Ships' Technical Manual, Chap 221

Ship's Information Book 4.

NAVEDTRA 10541

Soot blowers

NAVSEA

S9086-GY-STM-000

7105 DISTILLING PLANT FUNDAMENTALS

- .1 Describe the following types of drawings:
 - a. Flow diagramb. Piping diagram
- .2 Explain the application of the following:
- a. Sterilizer e. Distillate cooler
 b. Drain cooler f. Air and brine educt

Feedwater flowmeter

Feedwater

q.

e.

- c. Steam heaterd. Electric heater
- .3 Explain the protective functions of the following:
 - a. Relief valve b. Rupture disc
 - c. Salinity cell

a.

Evaporation

- .4 Define the following as applied to distilling plants:
 - 3 11
 - b. Condensationc. Distillationd. Vaporf. Salinityg. Brine
- .5 Explain the principle of distilling plant operation.
- .6 Explain the purpose of the following:
- a. Heating section c. Preheater b. Condenser d. Cooler

REFERENCES TO BE USED:

Pub Number

S9086-RQ-STM-000

NAVEDTRA 10520

AIR-CONDITIONING AND REFRIGERATION FUNDMENTALS

- .1 List the authoritative air-conditioning and refrigeration manuals or instructions used by your unit.
- .2 Explain the applications of the following:
 - Thermal-expansion valve (TXV) a.
 - Evaporator b.
 - Compressor c.
 - Condenser d. e. Receiver
- .3 Explain the protective functions of the following:
 - Dehydrator a.
 - Solenoid valves b.
 - c. Evaporator pressure-regulating (EPR) valve
 - d. Low-pressure cutout switch
 - High-pressure cutout switch e.
 - f. Relief valve
 - g. Water-regulating valve h. Water failure cutout switch
 - i. Strainers

Title

j. Lube oil failure switch

REFERENCES TO BE USED:

| | A STATE OF THE STA | |
|----|--|----------------|
| | | |
| 1. | Engineman 3 & 2 | NAVEDTRA 10541 |
| 2. | Naval Ships' Technical Manual, Chap 510 | NAVSEA |

- 2. Naval Ships' Technical Manual, Chap 510
- 3. Fireman
- Refrigeration and Air-Conditioning NAVEDTRA 16163 4.

ELECTROMECHANICAL FUNDAMENTALS

7107

.4

- .1 Discuss the importance of sensing devices in electrical ci
 - .2 Describe the functions and state the applications of the f devices:
 - a. Thermostatic switchb. Mechanical switch (cam/push)d. Ammeter
 - c. Pressure switch i. Voltmeter d. Water switch j. Wattmeter e. Thermostat k. Tachometer
 - f. Float switch.3 Describe the applications of the following signaling devic electrical systems:
 - a. Bells d. Sirens
 b. Buzzers e. Lamp-type indicat
 - c. Horns f. Drum-type annunci
 Discuss the operation of the following protective devices:
 - a. Fuses
 - c. Mechanical interlocksd. Electrical interlocks

b. Overloads

Title

REFERENCES TO BE USED:

| 1. | Basic Electricity |
|----|----------------------|
| 2. | IC Electrician 3 & 2 |
| 3. | Flectrician's Mate 3 |

<u>Pub</u> NAVE

NAVE NAVE

S9086-CZ-STM-000

Locate and identify the following manuals:

- Standard Organization and Regulations of the U.S. Navy (OPNAVINST 3120.32)
- Engineering Department Organization and Regulations Manual b. (EDORM)
- Engineering Casualty Control Handbook C.

Describe your duties as defined by OPNAVINST 3120.32.

Explain the duties of the following as defined in OPNAVINST 3120.32 and EDORM:

Main Propulsion Assistant d. Engineering Training Officer a. Division Damage Control

e.

b. Damage Control Assistant Electrical Officer Petty Officer C.

Define the Watch, Quarter and Station Bill.

State the purpose of the following schedules:

- Warmup/lightoff schedule a.
- b. Securing schedule
- Engineering operational sequencing system (EOSS) С.

REFERENCES TO BE USED:

| <u>Title</u> | Pub Number |
|---|-------------------|
| Standard Organization and Regulations of the U.S. Navy Engineering Department Organizational and Regulations Manual (EDORM) | OPNAVINST 3120.32 |
| Fireman | NAVEDTRA 10520 |
| Naval Ships' Technical Manual, Chap 079-V3 | NAVSEA |
| , | S9086-CN-STM-030 |
| Chap 090 | NAVSEA |

ENGINEERING SAFETY PRECAUTIONS FUNDAMENTALS

Describe where safety precautions are posted on machinery and

h.

i.

j.

k.

1.

Recirculating valve

Ouick-closing valve

Speed-limiting govern

Constant-pressure reg

Remote-operated contr

(air/hydraulic)

- Draw a simple diagram of machinery locations, indicating acces .] and escape routes in your space.
- throughout the space.
- .3 Explain the equipment safety tag-out system.
- . 4 Explain the significance of the color of tags used in the equi
- s fety tag-out system and what they mean when attached to a va
- handwheel and/or controller of a pump or to a circuit breaker.

- Explain the use and protective functions of the following: . 5
- Relief valves a.
- Safety valves b.

7109

.2

- Lagging C. Flange covers/shields d.
 - Reach rod e. f. Coupling covers
 - Electrical light steamtight Valve locking device m. q. covers
- .6 Describe the safety precautions to be observed when working wi high-speed rotating machinery.
- .7 Discuss the importance of bolted deckplates, gratings and hand .8 Discuss the importance of good housekeeping practices in engine
- spaces.
- ۰9 Describe the danger of skylarking in machinery spaces. .10 Explain the hazards caused by improper tightening of valve bon
- packing gland nuts. .11 Explain the hazard of oil in the bilges.
- .12 Describe the safety precautions to be observed prior to and who

ENGINEERING SAFETY PRECAUTIONS FUNDAMENTALS (CONT'D)

- .14 Describe the following in terms of effect on and/or hazard to valve
- Improper packing b. Improper gasket
 Improper type used c. d.

a.

e.

f.

q.

Short studding

Crow's-foot wrenches

7109

- .15 Describe the safety precautions to be observed when operating a compressed air system.
- . 16 Describe the safety precautions to be observed when using solvents. asbestos, fiberglass insulation, refrigerants, mercury, flourescent
- lamps and lead based materials. .17 Explain the oily waste discharge limitations as they apply to ship-
- board personnel. .18 Describe the procedures used, communications etablished and reports required in the event of an oil spill.
- .19 Explain the special hazard involved and procedures to be followed when working on a pressure system component. .20 Explain the special hazards involved and procedures to be followed when working on a system that opens to the sea.
- .21 Discuss the safety precautions to be observed and/or personnel safe equipment/devices required in the following situations as set forth in OPNAVINST 5100.19:
 - When working aloft (Chap 2, Sec V) a.
 - b. During heavy weather (Chap 2, Sec VI) While working with paint (Chap 10, Sec IV) С. While operating portable electric tools (Chap 5, Sec II) d.

While welding, cutting and brazing (Chap 6)

While working with workshop equipment (Chap 9, Sec I, II, III)

While handling hazardous material (Chap 10, Sec I, II, III, IV,

7109 ENGINEERING SAFETY PRECAUTIONS FUNDAMENTALS (CONT'D)

.26 Discuss "man-machine interface," and the factors that affect

.27 Discuss the Heat Stress Program (as set forth in OPNAVINST 31 and the following associated terms:

a. Wet bulb
b. Dry bulb
c. Radiant heat
d. WGBT
e. DEL
f. Safe stay time

Pub. Nu

NAVEDTR

OPNAVIN NAVEDTR

OPNAVIN NAVSEA

300-000

NAVSEA 593-000

OPNAVIN

.28 Discuss the following programs (as sest forth in OPNAVINST 31 a. Hearing Conservation Program

Lube Oil Quality Control Program (LOQCP)

REFERENCES TO BE USED:

Machinist's Mate 3 & 2

6. Accident Prevention Manual

Title

| 2. | Navy Safety Precautions for Forces Afloat |
|----|--|
| 3. | Principles of Naval Engineering |
| 4. | Standard Organization and Regulations of the |
| | U.S. Navy |
| 5. | Naval Ships' Technical Manual, Chap 300 |

Chap 593

7201

201.1 Explain the function of the potable water service and transfer system

.11 Refer to a standard print or draw a simple sketch of this system showing all components listed below.
201.2 SYSTEM COMPONENTS AND COMPONENT PARTS

SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below:

A. Discuss its function
B. Show where it is located

C. Describe the safety devices associated with it

Potable water storage tanks
Potable water manifold
Vacuum priming pump
Piping and valves

201

.21

.22

.23

.32

.41 .42

.24 Piping and valves
.25 Potable water pump
.3 PRINCIPLES OF OPERATION

.31 Describe the flow path of potable water from the deck riser to the

storage tank.

the ship's main potable water system.

201.4 PARAMETERS

State the following as applied to the parameters listed below:

A. Maximum and minimum allowable operating values

B. Physical location of indicators
C. Normal operating values

Potable water pump discharge pressure

13 Vacuum priming numb suction pressure

Potable water pump discharge pressure Potable water pump suction pressure

Describe the flow path of potable water from the storage tank to

POTABLE WATER SERVICE AND TRANSFER SYSTEM (CONT'D) 7201

REFERENCES TO BE USED:

TITLE

- Ship's Information Book
 Freshwater Pump

For each component and component part listed below:

to performing the following watchstations: 7301 and 7302

2.1 Explain the function of the fire and flushing pump system. .11 Refer to a standard print or draw a simple sketch of this system

showing all components listed below. 2.2 SYSTEM COMPONENTS AND COMPONENT PARTS

> Discuss its function Α.

Show where it is located B. Describe the safety devices associated with it

Motor

Pump

b.

a.

.21

.22

.23

.24

.25

.31

2.4

Α. В.

2

Packing glands/mechanical seals Bearings Piping and valves Vacuum priming pump

Priming tank b. c. Vacuum pump d. Motor

Valves

e. Pressure switch Pressure gauges

2.3 PRINCIPLES OF OPERATION

> Explain how the components work together to achieve the system's function.

PARAMETERS

Maximum and minimum allowable values

Physical location of indicators

State the following as applied to the parameters listed below:

7202.5 SYSTEM INTERRELATIONS

.51 Describe the effects on this system due to the following

Pί

NA LF

N/ LF

a. Clogged sea strainerb. Loss of electrical power

REFERENCES TO BE USED:

TITLE

- 1. Fire and Flushing Pump
- 2. Vacuum Priming Unit for Centrifugal Pump
- 3. Ship's Information Book, Vol II

7203

to performing the following watchstations: 7301 and 7302 Explain the function of the MP air system.

11 Refer to a standard print or draw a simple sketch of this system showing all components listed below. SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below:

Discuss its function Α. Show where it is located Β. Describe the safety devices associated with it C.

2

21

22

23

24

25

26

27 28

Air compressor (MP) Cooling system a. b. Motor controller Lube oil system Refrigifilter

Drain valve Air flasks Piping and valves a. Air compressor discharge valve

Power switch

Water trap

Air compressor relief valve Reducing station Cross-connect station Monitoring instruments

PRINCIPLES OF OPERATION

Explain how the components work together to achieve the system's

31 function. 4

PARAMETERS State the following as applied to the parameters listed below:

7203.5 SYSTEM INTERRELATIONS

.51 Describe the effects on this system due to the following

Pl

N

N

L

N/

a. Loss of seawaterb. Loss of electrical power

REFERENCES TO BE USED:

| 1. | Ship's | Information | Book |
|----|--------|-------------|------|
| | | managana Ma | |

- 2. Air Compressor, Medium-Pressure
- 3. Refrigifilter
- 4. Naval Ships' Technical Manual, Chap 9490

4

4.1

4.2

.23

.24

.25

.26 .27

Water trap

.11

7204

to performing the following watchstations: 7301 and 7302 Explain the function of the LP/control air system.

Refer to a standard print or draw a simple sketch of this system

SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below:

showing all components listed below.

A. Discuss its function
B. Show where it is located

C. Describe the safety devices associated with it.21 Air compressor (LP)a. Air compressor cooling system

b. Motor controllerc. Lube oil system.22 Refrigifiltera. Power switch

a. Drain valveAir flasksPiping and valvesa. Air compressor discharge valve

b. Air compressor relief valve Reducing station Cross-connect station

.28 Monitoring instruments
.29 Control air supply panels
a. Supply valves
b. Bypass valves

4.3 PRINCIPLES OF OPERATION

.31 Explain how the components work together to achieve the system's function.

7204.5 SYSTEM INTERRELATIONS

.51 Describe the effects on this system due to loss of electric

REFERENCES TO BE USED:

| | TITLE |
|----|---|
| | Ship's Information Book Air Compressor, Low-Pressure |
| 3. | Refrigifilter |

PUB N

NAVSI LP-02 NAVSI

LP-02

NAVSI

4. Naval Ships' Technical Manual, Chap 9490

| 205 | AIR-CONDITIONING/CHILLED WATER SYSTEM | 7205 | |
|---|---|--------|--|
| | Objective: To provide an outline of facts you should know proto performing the following watchstations: 7301 and 7302 | rior | |
| 205.1 | Explain the function of the air-conditioning/chilled water sy | ystem. | |
| .11 | Refer to a standard print of this system. | | |
| 205.2 | SYSTEM COMPONENTS AND COMPONENT PARTS | | |
| | For each component and component part listed below: | | |
| | A. Discuss its functionB. Show where it is locatedC. Describe the safety devices associated with it | | |
| .25 .26 .27 .28 .29 .210 .211 .212 .213 .214 .215 .216 .217 .218 .220 .221 | Condenser Receiver Water-regulating valve Relief valve | | |
| 05.3 | PRINCIPLES OF OPERATION | | |

| 7205.4 | PARAMETERS (CONT'D) |
|--------|---------------------------|
| .41 | Compressor lube oil level |
| .42 | Condenser cooling water p |
| 4.5 | Compressor Juha ail massa |

ter pressure Compressor lube oil pressure .43

44 Chilled water temperature Chilled water pressure .45

7205.5 SYSTEM INTERRELATIONS

.52

.51 Describe the effects on this system due to the following:

Describe the effects on the following due to the operation

PUB

NAVS LP-0

NAVS LP-0

Loss of seawater b. Loss of electrical power

system: a. Electronic equipment

b. Habitability

REFERENCES TO BE USED:

TITLE

Air-Conditioning Plant, Chilled Water

2. Air-Conditioning Pump, Chilled Water

Ship's Information Book, Vol II 3.

Explain how the components work together to achieve the system's

.26

.27

.28

.29

6.3

.31

Strainer

.210 Relief valve

function.

Dehydrator

Evaporator coils

.211 Hand-expansion valve
.212 Piping and valves
.213 Thermometers/gauges
.214 Liquid level gauges
.215 Seawater failure switch
.216 Water-regulating valve
.217 Thermostatic switch
.218 Solenoid valve
.219 Control panels

.220 Seawater-cooling cutout valves

PRINCIPLES OF OPERATION

Low-pressure/high-pressure switch

7206.4 PARAMETERS (CONT'D)

- .41
 - Compressor lube oil pressure Compressor lube oil level .42
 - Cooling water pressure .43
 - Compressor discharge pressure .44
- Compressor suction pressure .45

7206.5 SYSTEM INTERRELATIONS

a. Loss of electrical power b. Loss of seawater pressure

TITLE

1. Refrigeration Plant, Ship's Stores

.51 Describe the effects on this system due to the foll

2. Ship's Information Book

REFERENCES TO BE USED:

07.1

.11

CONTROLLABLE PITCH (CP) LUBE OIL SYSTEM

to performing the following watchstation: 7302

Explain the function of the CP lube oil system.

21 Evaluin how the components work together to achieve the systemic

Objective: To provide an outline of facts you should know prior

Refer to a standard print or draw a simple sketch of this system

7207

7207.4 PARAMETERS (CONT'D)

- .41 CP oil level
- .42 CP purifier discharge pressure and leakoff rate
 - 43 Main pump discharge pressure

7207.5 SYSTEM INTERRELATIONS

.51 Describe the effects on this system due to loss of e power.

REFERENCES TO BE USED:

TITLE

- 1. Controllable Pitch Propeller
- 2. Ship's Information Book

Draw a simple sketch of this system showing all components listed

SHIP'S SERVICE DIESEL GENERATOR (SSDG) ENGINE SYSTEM

7208

below.

For each component and component part listed below:

SYSTEM COMPONENTS AND COMPONENT PARTS

Discuss its function Show where it is located В. Describe the safety devices associated with it

.11

8.2

.21

.22

.23

.27

b.

Engine controls

С.

Α.

SSDG engine fuel system Supply and return valves Strainer b.

c. Filter SSDG engine lube oil system Supply and return valves a. Strainer b.

c. Filter d. Prelube pump Lube oil cooler e. f. Engine lube oil sump

Pressure regulator/relief valves SSDG engine jacket water system Supply and return valves a.

Expansion tank b. c. Heat exchanger Thermostatic control valve

.24 Turbocharger/blower . 25 Test cocks .26 SSDG engine starting air system Barring gear interlock a.

Air start motor Air start valve

7208.3 PARAMETERS

State the following as applied to the parameters listed be

- A. Maximum and minimum allowable operating values
- B. Setpoint of alarmC. Physical location of indicators
- D. Normal operating values
- .31 Fuel oil pressures
- .32 Lube oil pressures
- .33 Lube oil temperatures.34 Jacket water pressures
- .35 Jacket water temperatures.36 Exhaust temperatures
- .37 Seawater pressures
- .38 Seawater temperatures.39 Starting air pressures
- .310 Scavenging air pressure .311 Engine sump level
- .312 Expansion tank level
- .313 Governor oil level

7208.4 SYSTEM INTERRELATIONS

- .41 Describe the effects on this system due to the following:
 - a. Clogged sea strainerb. Clogged air intake
 - c. Blocked exhaust stock

REFERENCES TO BE USED:

TITLE

| 1. | Ship's | Service | Diesel | Engine | (Alco) |
|----|--------|---------|--------|--------|--------|
| | • | | | • | • |

2. Ship's Service Diesel Engine (EMD)

NAVS LP-0

PUB

NAVS

to performing the following watchstation:

9.1

Explain the function of the main propulsion diesel engine system.

.11 Refer to a standard print or draw a simple sketch of this system showing all components listed below.

SYSTEM COMPONENTS AND COMPONENT PARTS For each component and component part listed below:

Discuss its function Α.

9.2

.21

.22

.23

b.

C.

h.

a. b.

b.

Β. Show where it is located

Describe the safety devices associated with it Fuel system

Supply and return valves Strainer b. Filter C. -Lube oil system

Supply and return valves Strainer Filter

d. Prelube pump EMD turbocharger prime/post prime pump e. Lube oil coolers q.

Engine lube oil sump Pedestal bearings Pressure regulator/relief valves

Jacket water system Supply and return valves Expansion tank

C. Heat exchanger Thermostatic control valves

.24 Turbocharger Test cocks .25 .26 Starting air system

Barring gear interlock Air start motor

7302

7209.4 - PARAMETERS

State the following as applied to the parameters listed

- A. Maximum and minimum allowable operating values
- B. Setpoint of alarmC. Physical location of indicators
- C. Physical location of indicatorsD. Normal operating values
- .41 Fuel oil pressures
- .42 Lube oil pressures
 .43 Lube oil temperatures
 - .44 Jacket water pressures
 - .45 Jacket water temperature .46 Exhaust temperatures
 - .47 Seawater pressures.48 Seawater temperatures.49 Starting air pressures
 - .410 Control air pressures.411 Scavenging air pressure
 - .412 Engine sump level
 - .413 Expansion tank level .414 Governor oil level
- .415 Pedestal bearing (bull's-eye) level

7209.5 SYSTEM INTERRELATIONS

.51 Describe the effects on this system due to the following

a. Clogged sea strainerb. Clogged air intakec. Blocked exhaust stack

REFERENCES TO BE USED:

TITLE

1. Main Propulsion Diesel Engine (Alco), Vol I

Vol II

Pι

NA LF

NA

7210 MAIN DRAINAGE SYSTEM

Objective: To provide an outline of facts you should know pri

7210.1

7210.2

.23 .24

.25

7210.4

b.

Explain the function of the main drainage system.

to performing the following watchstation: 7302

Refer to a standard print or draw a simple sketch of this syst .11 showing all components listed below.

SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below:

Discuss its function

Show where it is located Β. Describe the safety devices associated with it

.21 Valves .22 Piping

> Eductor Pressure gauges Hydraulic remote control station

Selector valves Hand pump Valve position indicators

7210.3 PRINCIPLES OF OPERATION

Explain how the components work together to achieve the system .31 function.

PARAMETERS

State the following as applied to the parameters listed below:

Maximum and minimum allowable operating values Α.

Physical location of indicators В. Normal operating values

Eductor suction pressure

.41 Eductor supply pressure

7210 MAIN DRAINAGE SYSTEM (CONT'D)

REFERENCE TO BE USED:

TITLE

1. Ship's Information Book, Vol II

| 0bj | ective: | To | pro | vid | e | an | С |
|-----|-----------|------|-----|-----|----|----|----|
| to | performin | ng t | he | fol | 10 | wi | ng |

outline of facts you should know prior g watchstation: 7302

1.1 Explain the function of the main shaft bearings system.

1

.11

11.2

.21

.22

.23

.24

.31

.32

11.3

Refer to a standard print or draw a simple sketch of this system showing all components listed below. SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below:

Discuss its function Α. Show where it is located Β. Describe the safety devices associated with it

Sump Oiler rings Temperature gauge

Dipstick **PARAMETERS**

Α. Maximum and minimum allowable operating values Physical location of indicators Β. Normal operating values

Oil sump level

TITLE

Oil temperature

REFERENCE TO BE USED:

Naval Ships' Technical Manual, Chap 9430

State the following as applied to the parameters listed below:

PUB NUMBER NAVSEA 0901-

LP-430-0012

MAIN REDUCTION GEAR SYSTEM 7212

.21

.22

.24

7212.3

a.

Objective: To provide an outline of facts you should kno

to performing the following watchstation: 7302

7212.1 Explain the function of the main reduction gear system. Refer to a standard print or draw a simple sketch of this

7212.2 SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below:

showing all components listed below.

Discuss its function Α. B. Show where it is located

Describe the safety devices associated with it Main reduction gear

Vent fog gear b. Turning gear Lube oil system Sump a. b. Attached lube oil pump

c. Lube oil standby pump

d. Oil cooler e. Strainers f. Piping and valves

.23 Seawater system Seawater circulating pump b. Piping and valves c. Emergency cooling valves

PRINCIPLES OF OPERATION

Pressure and temperature gauges

Explain how the components work together to achieve the s

function.

7212.4 PARAMETERS State the following as applied to the parameters listed b

SYSTEM INTERRELATIONS

2.5

- .51 Describe the effects on this system due to the following:
 - a. Loss of electrical power
 - b. Loss of firemain pressure
- .52 Describe the effects on the Main Propulsion Diesel Engine System due to the operation of this system.

REFERENCES TO BE USED:

| | TITLE | PUB NUMBER |
|----|--|-----------------------------|
| 1. | Main Reduction Gear (EMD) | NAVSEA 0941- LP-009-1010 |
| 2. | Main Reduction Gear (Alco) | NAVSEA 0941- |
| 3. | Main Propulsion Diesel Engine (Alco), Vol II | LP-042-6010 NAVSEA 0941- |
| 4. | Naval Ships' Technical Manual, Chap 9420 | LP-024-8020 NAVSEA 0901- |
| 5. | Ship's Information Book, Vol I | LP-420-0002 |

7213 FUEL OIL SERVICE (DIESEL) SYSTEM

Objective: To provide an outline of facts you should know

- to performing the following watchstation: 7302
- Explain the function of the fuel oil service (diesel) sys 7213.1 Refer to a standard print or draw a simple sketch of this showing all components listed below.
- 7213.2 SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below:

- Α. Discuss its function Show where it is located
 - Describe the safety devices associated with it
- Valves .21 .22 Piping
- .23 Service tank level gauges

7213.3 **PARAMETERS**

Α. Maximum and minimum allowable operating values Physical location of indicators В.

State the following as applied to the parameters listed b

- Normal operating values
- .31 Fuel oil service tank level

7213.4 SYSTEM INTERRELATIONS

- .41 Describe the effects on the following due to the operatio system:
 - Main Propulsion Diesel Engine System Ship's Service Diesel Generator (SSDG) Engine System b. Auxiliary Boiler System

Explain the function of the main lube oil transfer and purificat

Refer to a standard print or draw a simple sketch of this system

Discuss its function Α. Show where it is located В. Describe the safety devices associated with it .21 Lube oil purifier

For each component and component part listed below:

showing all components listed below.

SYSTEM COMPONENTS AND COMPONENT PARTS

b. Pumps Liquid observation ports d. Valves Speed indicator e. f. Purifier oil sump Lube oil purifier heater

Bowl assembly

Valves Lube oil transfer pump a. Relief valves Lube oil storage tanks . 24

> Piping and valves a. Strainer b. Suction/discharge manifolds

Temperature and pressure gauges . 26

7214.3 PRINCIPLES OF OPERATION

Trace the flow path of lube oil from the engine/reduction gear 1 oil sumps through the purifier and back to the sumps.

7214.4

.31

7214.1

7214.2

system.

a.

.22

.23

. 25

PARAMETERS State the following as applied to the parameters listed below:

7214.5 SYSTEM INTERRELATIONS

- .51 Describe the effects on this system due to loss of elect .52 Describe the effects on the following due to the operati system:
 - a. Main Propulsion Diesel Engine System
 b. Ship's Service Diesel Generator (SSDG) Engine System
 c. Main Reduction Gear System

PU

NA LP NA

LP

NA

LP

REFERENCES TO BE USED:

TITLE

| ٦. | DeLaval Purifier |
|----|------------------------|
| 2 | Luba Oil Tuanafan Duma |

- 2. Lube Oil Transfer Pump
- 3. Lube Oil Purifier and Heater
- 4. Ship's Information Book, Vol II

Describe the safety devices associated with it

.26 Sea strainers a. Strainer basket b. Vent valve

В.

a.

Piping

function.

Α.

.21

.22

.23

. 24

.25

.31

7215.3

7215.4

SEAWATER COOLING SYSTEM

7215

PRINCIPLES OF OPERATION

Show where it is located

Auxiliary seawater-reducing station

Pressure and temperature gauges

Low and sand trap sea chests

Suction and discharge valves

Adjusting device

PARAMETERS
State the following as applied to the parameters listed below:

Explain how the components work together to achieve the system's

Maximum and minimum allowable operating values

B. Physical location of indicatorsC. Normal operating values

7215.5 SYSTEM INTERRELATIONS (CONT'D)

- .52 Describe the effects on the following due to the operat system:
 - a. Main Propulsion Diesel Engine Systemb. Ship's Service Diesel Generator (SSDG) Engine Systec. Main Reduction Gear System

REFERENCES TO BE USED:

TITLE

1. Ship's Information Book, Vol II

2. Naval Ships' Technical Manual, Chap 9480

to performing the following watchstation: 7303 16.1 Explain the function of the pitch control system. .11 Refer to a standard print or draw a simple sketch of this system

16

16.2

.21

.22

.23

.24

.25

.26

.27

.31

showing all components listed below. SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below: Discuss its function Α.

В. Show where it is located Describe the safety devices associated with it

Master control head (MCH) valve Lead load selection system Load balance system Manual pitch control system

Propulsion control selection system Instruments and alarms Engine order telegraph system Reduction gear standby pump selection switch

.28 .29 Shaft revolution counter

16.3 PRINCIPLES OF OPERATION

function.

16.4 PARAMETERS State the following as applied to the parameters listed below:

Maximum and minimum allowable operating values Α. Physical location of indicators Β.

Explain how the components work together to achieve the system's

Normal operating values

Control air signal pressures

7216.5 SYSTEM INTERRELATIONS

- .51 Describe the effects on this system due to the following:
 - a. Loss of electrical powerb. Loss of control air supplyc. Loss of main engines
 - d. Loss of reduction gear
 - .52 Describe the effects on the ship's speed/maneuverability operation of this system.

Main Propulsion Diesel Engine (Alco), Vol I

PUB

NAV:

NAV: LP-0 NAV: LP-0

Vol II

REFERENCES TO BE USED:

TITLE

| 2. | Ship's | Control | Cons | sole |
|----|--------|----------|------|------|
| 3. | Ship's | Informat | ion | Book |

Ship's Information Book

Naval Ships' Technical Manual, Chap 9480

1.

2.

Objective: To provide an outline of facts you should know prior

7217

BALLAST COOLING SYSTEM

721

NAVSEA 0901-

LP-480-0002

7218 MAIN PROPULSION SHAFT SYSTEM

Objective: To provide an outline of facts you should know pri

to performing the following watchstation: 7303

Explain the function of the main propulsion shaft system. 7218.1

Refer to a standard print or draw a simple sketch of this syst

7218.2 SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below:

showing all components listed below.

Discuss its function Α.

Show where it is located C. Describe the safety devices associated with it

.21 Propulsion shafting a. Line shaft

b. Intermediate shaft c. Stern tube shaft d. Makeup shaft

e. Tail shaft .22 Oil distribution (OD) box a. Valves b. Relief valve

Control plate a. Yielding rod

b. Control handle

Woodward controllable pitch control unit

Syntron seals Inflatable boot

Pressure gauge

b. Nitrogen/CO2 supply bottle

PRINCIPLES OF OPERATION

7218.3 Explain how the components work together to achieve the system function.

a.

С.

.23

.24

SYSTEM INTERRELATIONS

18.5

- .51 Describe the effects on this system due to the following:
 - a. Loss of air control signalsb. Loss of hydraulic pressure
- .52 Describe the effects on ship's speed/maneuverability due to the operation of this system.

REFERENCE TO BE USED:

TITLE

| | 11166 | TOD NONDER |
|---|--------------------|-----------------|
| , | Combusilishis Dib. | NAVCEA COAA |

DIIR NIIMRED

1. Controllable Pitch Propeller NAVSEA 0944-LP-007-2010

- FUEL OIL SERVICE, TRANSFER AND STRIPPING SYSTEM 7219 Objective: To provide an outline of facts you should know
- to performing the following watchstation: 7304
- 7219.1 Explain the function of the fuel oil service, transfer and system. Refer to a standard print or draw a simple sketch of this
- showing all components listed below. 7219.2 SYSTEM COMPONENTS AND COMPONENT PARTS
- For each component and component part listed below:
 - Discuss its function Α. Show where it is located
 - Describe the safety devices associated with it
 - .21 Storage tanks .22 Suction/discharge manifold .23 Strainer
 - .24 Service pump .25 Prefilter
 - .26 Day tanks .27 Return manifold .28 Separator filter
 - .29 Piping and valves .210 Thermometers/gauges .211 Contaminated oil tank
 - .212 Stripping pump .213 Eductor
 - .214 Strainer .215 Fuel oil transfer cleavage indicating system

 - 7219.3 PRINCIPLES OF OPERATION
 - .31 Trace the flow path of fuel from JP-5 storage tanks to day Trace the flow path of fuel from one JP-5 storage tank to (trim ship).
- Trace the flow path of fuel from one day tank to another d recirculation. 24 Types the flow noth of contaminated ail from the contamina

19.4 PARAMETERS

State the following as applied to the parameters listed below:

- A. Maximum and minimum allowable operating values
- B. Physical location of indicators
- C. Normal operating values
- .41 JP-5 service pump discharge pressure
- .42 Prefilter differential pressure
- .43 Separator filter differential pressure
- .44 Fuel oil level
- .45 Stripping pump pressure

19.5 <u>SYSTEM INTERRELATIONS</u>

- .51 Describe the effects on this system due to the loss of electrical power.
- .52 Describe the effects on the following due to the operation of this system:
 - a. Main Propulsion Diesel Engine System
 - b. Ship's Service Diesel Generator (SSDG) Engine System
 - c. Auxiliary Boiler System

REFERENCES TO BE USED:

| | TITLE | PUB NUMBER |
|----|---|-----------------------------|
| | Ship's Information Book Diesel Oil Transfer Pump | NAVSEA 0947- LP-109-2010 |
| 3. | Lube Oil Transfer Pump | NAVSEA 0947- LP-082-1010 |
| 4. | JP-5 Separator Filter, 750 GPM | NAVSEA 0948- LP-036-7010 |

AIR CONTROL SYSTEM 7220

Objective: To provide an outline of facts you should know to performing the following watchstation: 7304

7220.1 Explain the function of the air control system.

.11 Refer to a standard print or draw a simple sketch of this s

showing all components listed below.

7220.2 SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below:

Α. Discuss its function

B. Show where it is located C. Describe the safety devices associated with it

.21 Control air panel | (pilot house)

Control air panel 2 (EOS) .22

.23 Control air panel 3 (local No. 2 engineroom) .24 Control air panel 4 (local No. 1 and 3 enginerooms)

.25 Control air panel 5 (engine devices)
.26 Control air panel 6 (clutch and brake "A")

.27 Control air panel 7 (clutch and brake "B and C") .28 Control air panel 8 (control air supply)

.29 Control air panel 9 (associated control components) .210 Control air panel 10 (anti-single-engine inching)

7220.3

function.

7220.4

PRINCIPLES OF OPERATION

PARAMETERS

Explain how the components work together to achieve the sy

State the following as applied to the parameters listed be

Maximum and minimum allowable operating values B. Physical location of indicators

Normal operating values

.41 Speed boost supply air pressure

7220.5 SYSTEM INTERRELATIONS

- .51 Describe the effects on this system due to the following:
 - a. Loss of electrical powerb. Loss of air pressure
- .52 Describe the effects on ship's speed/maneuverability due to the operation of this system.

PUB NUMBE

NAVSEA 09 LP-024-80

REFERENCE TO BE USED:

| - | TITL | Ł | | | | |
|---|------|---|--|--|---|--|
| | | | | | _ | |

1. Main Propulsion Diesel Engine (Alco), Vol I

7221 AUXILIARY BOILER SYSTEM

Objective: To provide an outline of facts you should know

to performing the following watchstation: 7304 7221.1 Explain the function of the auxiliary boiler system.

Refer to a standard print or draw a simple sketch of this

showing all components listed below.

7221.2 SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below:

Discuss its function Α. Show where it is located В.

.21

Describe the safety devices associated with it Soot blower

Supply valves and piping Drains b. -22 Fuel oil assembly

Burner a. b. Solenoid valves c. Fuel oil pump

d. Piping and valves e. Strainer .23 Feedwater/condensate assembly

> Regulator/control valve b. Feed pump c. Piping and valves

Reserve feed and drain tank Heat exchanger .24 Forced draft blower

Safety valves .25 .26 Boiler combustion controls

.27 Water gauge glasses .28 Safety hand-easing gear

.29 Peep door .210 Stack smoke indicator 211 Surface blow mining and values

e.

7221.4 PARAMETERS

State the following as applied to the parameters listed below:

- Maximum and minimum allowable operating values Α.
- Physical location of indicators В.
- Normal operating values
- Boiler steam pressure .41
- .42 Feedwater pressure .43 Fuel oil pressure
- .44 Reserve feed and drain tank level
- .45 Water level

7221.5 SYSTEM INTERRELATIONS

- .51 Describe the effects on this system due to the following:
 - Loss of main fuel oil pressure b. Loss of LP air pressure
 - c. Excessive use of steam
 - d. Loss of seawater to heat exchanger
- .52 Describe the effects on the following due to the operation of this system:
 - Submerged Tube Distiling Plant System a. Habitability b.

REFERENCES TO BE USED:

TITLE

| | IIILE | PUB NUMBER |
|----|-------------------------|----------------------------|
| 1. | Auxiliary Boiler, Vol I | NAVSEA 0951 LP-017-6010 |

II fov NAVSEA 0951 LP-017-6020

DUD MUMDED

2. Ship's Information Book

SUBMERGED TUBE DISTILLING PLANT SYSTEM 7222

Objective: To provide an outline of facts you should kn

to performing the following watchstation: 7305

Explain the function of the submerged tube distilling p 7222.1 Refer to a standard print or draw a simple sketch of th .11 showing all components listed below.

7222.2 SYSTEM COMPONENTS AND COMPONENT PARTS

Hypochlorinator/bromine system

For each component and component part listed below: Discuss its function Α.

B. Show where it is located C. Describe the safety devices associated with it

b. Solution tank c. Pickup tube d. Strainers .22 Seawater circulating pump .23 Distillate pump/cooler .24 Drain cooler

a. Mixing tank

.25 Steam heater

.. 21

.26 Electric heater .27 Air/brine eductor .28 Feedwater flowmeter

.29 Pressure gauges/thermometers .210 Distillate solenoid transfer valves .211 Hot-water circulation pump .212 Salinity panel

.213 Waste heat piping and valves

.215 Proportioning pumps .216 Piping and valves .217 Distillate meter

.214 Evaporator shell

7222.3 PRINCIPLES OF OPERATION 31 Trace the flow path of compater food from the converter

| 22.4 | PARAMETERS | |
|--------------------------|---|----------------------------|
| | State the following as applied to the parameters list | ted below: |
| | A. Maximum and minimum allowable operating valuesB. Physical location of indicatorsC. Normal operating values | |
| .41 .42 .43 .44 | Feedwater pressure Feedwater temperature Distillate pressure Evaporator shell temperature | |
| 22.5 | SYSTEM INTERRELATIONS | |
| .51 | Describe the effects on this system due to the follow | wing: |
| | a. Variations in steam pressureb. Variations in jacket water temperaturec. Variations in vacuum | |
| .52 | Describe the effects on the following due to the ope of this system: | ration |
| | a. Auxiliary Boiler Systemb. Potable water Service and Transfer System | |
| | REFERENCES TO BE USED: | |
| | TITLE | PUB NUMBER |
| 1. | Hypochlorinator (Distilling Plant) | NAVSEA 0958-LP-015-5010 |
| 2. | Hypochlorinator (Potable Water) | NAVSEA 0958-LP-015-6010 |
| 3. | Distilling Plant Distillate Pump | NAVSEA 0947-LP-109-5010 |
| 4. | Distilling Plant Hot Water Circulating Pump | NAVSEA 0947-LP-109-6010 |
| 5. | Distilling Plant Saltwater Circulating Pump | NAVSEA |

7223 <u>LUBE OIL TRANSFER AND STORAGE SYSTEM</u> Objective: To provide an outline of facts you should known

to performing the following watchstation: 7306
7223.1 Explain the function of the lube oil transfer and storage

.11 Refer to a standard print or draw a simple sketch of this showing all components listed below.

7223.2 SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below:

A. Discuss its function
B. Show where it is located
C. Describe the safety devices associated with it

C. Describe the safety devices associated with it
Storage tanks

.21 Storage tanks
.22 Suction manifold
.23 Lube oil transfer pump
.24 Strainer
.25 Discharge manifold

Discharge manifold Piping and valves Settling tanks Gauges

.28 Gauges

PARAMETERS

.26

.27

7223.4

7223.5

7223.3 PRINCIPLES OF OPERATION

.31 Explain how the components work together to achieve the function.

State the following as applied to the parameters listed

A. Physical location of indicatorsB. Normal operating values

.41 Lube oil pump discharge pressure

SYSTEM INTERRELATIONS

SYSTEM INTERRELATIONS (CONT'D)

223.5

1.

2.

- .52 Describe the effects on the following due to the operation of this system:
 - a. Main Propulsion Diesel Engine System Ship's Service Diesel Generator (SSDG) Engine System b.

REFERENCES TO BE USED:

TITLE

Ship's Information Book, Vol II

Lube Oil Transfer Pump

PUB NUMBER

0945-LP-082-20

NAVSEA

JP-5 CARGO AND TRANSFER SYSTEM 7224

Objective: To provide an outline of facts you should know prio

to performing the following watchstation: 7306 7224.1 Explain the function of the JP-5 cargo and transfer system.

Refer to a standard print or draw a simple sketch of this system

showing all components listed below.

SYSTEM COMPONENTS AND COMPONENT PARTS

For each component and component part listed below:

Discuss its function Α. Show where it is located В.

Describe the safety devices associated with it

.21 Piping and valves

Thermometer/gauges .22 .23 Storage tanks

Separator filters .25 Manifold .26 Transfer pump

.27 Pressure-reducing valve .28 Hose reels

.29 Drain tank .210 Priming pump and valves .211 Relief valves

7224.3 PRINCIPLES OF OPERATION

.31 Trace the flow path of JP-5 fuel from the storage tanks to the separator filter. Trace the flow path of JP-5 fuel from the separator filter to .32

the deck risers and hose reels.

Trace the flow path of contaminants from the separator filter .33 to the drain tank.

7224.4 **PARAMETERS**

.11

.24

7224.2

State the following as applied to the parameters listed below:

SYSTEM INTERRELATIONS

Describe the effects on this system due to the following:

Contaminated fuel

b. Loss of electrical power

Describe the effects on the JP-5 Helicopter Fueling System

due to the operation of this system.

PUB NUMBER

NAVSEA 0947-LP-100-2010

NAVSEA 0955-LP-015-0010

NAVSEA 0947-LP-109-4010

REFERENCES TO BE USED:

1.

2.

3.

4.

TITLE

JP-5 Transfer Pump

JP-5 Separator Filter, 150 GPM

Ship's Information Book, Vol II

Vacuum Priming Unit for Centrifugal Pump

24.5

.51

.52

a.

| 7225 | JP-5 HELICOPTER FUELING SYSTEM |
|--------|--|
| | Objective: To provide an outline of facts you should know prior to performing the following watchstation: 7306 |
| 7225.1 | Explain the function of the JP-5 helicopter fueling system. |
| .11 | Refer to a standard print or draw a simple sketch of this system showing all components listed below. |

SYSTEM COMPONENTS AND COMPONENT PARTS 7225.2

For each component and component part listed below: Α. Discuss its function

Show where it is located B.

- Describe the safety devices associated with it JP-5 helicopter fueling service tank
- .21 .22 Service pump .23 Pressure-reducing valve
- .24 Thermometer/gauges .25 Separator filter .26 Drain tank
- .27 Flowmeter .28 Piping and valves .29 Hose reels
- .210 Sight flow fittings .211 Stripping pump

7225.3

- PRINCIPLES OF OPERATION .31
- Trace the flow path of JP-5 fuel from the helicopter service tar to the hose reel. Trace the flow path of recirculating JP-5 fuel to the helicopter .32

service tank.

7225.4 PARAMETERS

State the following as applied to the parameters listed below: Α. Maximum and minimum allowable operating values

Physical location of indicators Normal operating values

7225.5 SYSTEM INTERRELATIONS

- .51 Describe the effects on this system due to the following:
 - a. Contaminated fuelb. Loss of electrical power

REFERENCES TO BE USED:

| | TITLE | PUB NUMBER |
|----|----------------|-----------------------|
| 1. | JP-5 Helo Pump | NAVSEA 0947-LP-100 |

NAVSEA

NAVSEA

NAVSEA

0948-LP-036-

0947-LP-083-

0948-LP-036-

- 2. JP-5 Separator Filter, 750 GPM
- 3. JP-5 Stripping Pump

4.

5. Ship's Information Book, Vol II

JP-5 Separator Filter, 50 GPM

```
Refer to a standard print or draw a simple sketch of this system
         showing all components listed below.
7226.2
         SYSTEM COMPONENTS AND COMPONENT PARTS
         For each component and component part listed below:
             Discuss its function
         Α.
         B. Show where it is located
             Describe the safety devices associated with it
    .21
         Tank
         MOGAS pump
    .22
    .23
         MOGAS stripping pump
    .24
        Separator filter
    .25
         Liquid level indicator
    .26 Relief valve
    .27 Piping and valves
    .28 Thermometers/gauges
    .29 Hose reels
    .210 Water turbine
    .211 CO2 inert system
    .212 Drain tank
7226.3
         PRINCIPLES OF OPERATION
    .31
         Trace the flow path of gasoline from the MOGAS tank to the separat
         filter.
    .32
         Trace the flow path of gasoline from the separator filter to the
         hose reel.
    .33
         Trace the flow path of gasoline from the fill connections to the 1
    .34
         Trace the flow path of gasoline from the MOGAS tank to the drain t
7226.4
         PARAMETERS
```

State the following as applied to the parameters listed below:

Maximum and minimum allowable operating values

Physical location of indicators

Objective: To provide an outline of facts you should know prior

Explain the function of the automotive gasoline/MOGAS system.

to performing the following watchstation:

7226.1

Α.

| 226.4 | PARAMETERS (CONT'D) | | | |
|--------------------------|--|---------------------------|--|--|
| .41 .42 .43 .44 | Gas temperature | | | |
| 226.5 | SYSTEM INTERRELATIONS | | | |
| .51 | Describe the effects on this system due to the follow | ing: | | |
| | a. Variations in firemain pressureb. Variations in CO2 pressure | | | |
| | REFERENCES TO BE USED: | | | |
| | TITLE | PUB NUMBER | | |
| 1. | JP-5 Separator Filter, 50 GPM | NAVSEA 0948-LP-036-301 | | |
| 2. | Valve Shutoff Gasoline System | NAVSEA | | |
| 3. | Ship's Information Book | 0948-LP-036-401 | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



DATE

DATE

DATE

FINAL QUALIFICATION AS LST-1179/1182 CLASS PETTY OFFICER OF THE WATCH (POOW)

This Qualification Card is to be used as a record of satisfactory compl of the designated section of the Personnel Qualification Standard (POS).

NAME_____RATE____

| specified supervisors may signify completion of applicable sections either written and/or oral examination, or by observation of performance. The examination or checkout need not cover every item; however, a sufficient number should be covered to demonstrate the examinee's knowledge. Should the Supervisor "give away" their signature too easily, unnecessary difficulties can expected in future routine operations. |
|--|
| This Qualification Card is a working document to be maintained by the trainee and updated to ensure awareness of the tasks remaining to be comple |
| QUALIFICATION |
| Having observed satisfactory performance, it is recommended the trained designated a qualified LST-1179/1182 CLASS PETTY OFFICER OF THE WATCH (POOW (7306). |
| |

RECOMMENDED (Supervisor)

RECOMMENDED (Department Head)

RECOMMENDED (Division Officer)

LST-1179/1182 CLASS PETTY OFFICER OF THE WATCH (POOW)

OUALIFICATION SUMMARY

| PQS INDOCTRINATION | |
|---|----------------------------------|
| COMPLETED (Training Officer/Date) | _ |
| AUXILIARY STEAM PLANT WATER CHEMIST (N. | AVEDTRA 43127-5Q1) |
| COMPLETED (Department Head/Date) | - |
| COLD IRON WATCH (7301) | |
| Recommended(Supervisor/Date) | _ |
| Recommended (Division Officer/Date) | QUALIFIED (Department Head/Date) |
| OILER/MESSENGER (7302) | |
| Recommended(Supervisor/Date) | _ |
| Recommended (Division Officer/Date) | QUALIFIED (Department Head/Date) |
| | |

AUXILIARY BOILER OPERATOR (7304)

THROTTLEMAN (7303) Recommended (Supervisor/Date)

(Department Head/Date)

Recommended QUALIFIED (Division Officer/Date)

Recommended (Supervisor/Date)

LST-1179/1182 CLASS PETTY OFFICER OF THE WATCH (POOW)

FUNDAMENTALS AND SYSTEMS SUMMARY

| FUNDAMEN | TALS | SIGNATURE | DATE | Р |
|----------|------------------------------------|--------------|------|---|
| 7101 | Mechanical | STUMMIONE | UNIL | |
| 7102 | Diesel Engine | | | |
| 7103 | Power Transmission | | | |
| 7104 | Auxiliary Boiler | | | |
| 7105 | Distilling Plant | | | |
| 7106 | Air-Conditioning and Refrigeration | | | |
| 7107 | Electromechanical | | | |
| 7108 | Engineering Administration | | | |
| 7109 | Safety Precautions | | | · |
| | Total Points Fun | idamenta is: | | |

Potable water Service and Transfer

Fire and Flushing Pump

SYSTEMS

7201

7202

| rv | CTEMC / | CONTID | |
|----|----------|--|-------------|
| 21 | 31 EM3 (| CONT'D) | SIGNATURE I |
| 72 | 206 | Ship's Stores Refrigeration Plant | |
| 72 | | Controllable Pitch (CP) Lube Oil | |
| 72 | 208 | Ship's Service Diesel Generator (SSDG) Engine | |
| 72 | 209 | Main Propulsion Diesel Engine | |
| 72 | 210 | Main Drainage | |
| 72 | 211 | Main Shaft Bearings | |
| 72 | 212 | Main Reduction Gear | |
| 72 | 213 | Fuel Oil Service (Diesel) | |
| 72 | | Main Lube Oil Transfer and Purification | |
| 72 | 215 | Seawater Cooling | |
| 72 | 216 | Pitch Control | |
| 72 | 217 | Ballast Cooling | |
| 72 | 218 | Main Propulsion Shaft | |
| 72 | 219 | Fuel Oil Service, Transfer and Stripping | |

| SYSTEMS | (CONT'D) | SIGNATURE | DATE | Р. |
|---------|-------------------------------|-----------|------|----------|
| 7223 | Lube Oil Transfer and Storage | SIGNATURE | DATE | <u>r</u> |
| 7224 | JP-5 Cargo and Transfer | | | |
| 7225 | JP-5 Helicopter Fueling | | | , |
| 7226 | Automotive Gasoline/MOGAS | | | |
| | Total Points Sys | tems: | | 20 |
| | | | | |

| | be able to perform. | the minimum tasks you should |
|--------|--|-------------------------------|
| | Prior to demonstrating your proficie the following: | ency in these tasks, complete |
| | Fundamentals: 7101, 7106, 7107 | and 7109 |
| | Systems: 7201 thru 7206 | |
| 7301.1 | TASKS | |
| | A. For the tasks listed below, disc | cuss: |
| | The correct procedure. The indications monitored. The safety precautions obsert. The communications and coord | |
| | B. Perform the following tasks IAW | EOSS/EDORM. |
| 7 | line up specific and secure fine | SIGNATURE DATE PT |
| . 1 | l Line up, operate and secure fire pump | |
| | | |
| . 1 | 2 Line up, operate and secure potable water pump | |
| | |] |
| ١. | 3 Line up, operate and secure | 7 |
| | MP air compressors | |
| 1 | 4 Line up, operate and secure | |
| • 1 | LP air compressors | |
| | | |
| .1 | 5 Monitor and record readings on air- conditioning/chilled water system | |
| | | |

| | | SIGNATURE DAT |
|---------|---|--------------------|
| 7301.17 | Monitor controllable pitch upper gravity oil tank | |
| .18 | Monitor security of engineering spaces and machinery | |
| 7301.2 | EMERGENCY CONDITIONS | |
| | A. For the conditions listed below, | describe: |
| | The indications received. The operating limitations imp The corrective action require | |
| | B. Perform or simulate the corrective | e action IAW EOCC. |
| .21 | Loss of firemain pressure | |
| .22 | Overheating of auxiliary machinery | |
| .23 | Loss of LP air pressure | |
| .24 | Loss of MP air pressure | |

1.3 Stand four satisfactory watches under qualified supervision.

| SIGNATURE | DATE | PIS |
|---|------|-----|
| | | 50 |
| | | 50 |
| | | 50 |
| | | 50 |
| Total Points This Watchstation I Required Fundamental and System | | 600 |

73

P.

DATE

| | cpc and many many many | |
|------|---|--|
| | | |
| .12 | Line up, operate and secure MP air compressor | |
| | | |
| . 13 | Operate LP air compressor | |

.14 Line up and operate seawater cooling system to and from applicable machinery

| The state of the s | | SIGNATURE | DA |
|--|--|-----------|----|
| | Line up and operate main engines and boiler fuel oil systems | | |
| | Line up engine starting air systems | | |
| | Line up jacket water system to main engines and auxiliary machinery | | |
| .110 | Light off, operate and secure SSDG engines | | |
| | Light off, operate and secure all main engines | | |
| .112 | Line up, operate and secure main drainage system | | |
| .113 | Record all readings on engineering operating logs | | |
| 7302.2 | EMERGENCY CONDITIONS | | |
| | A. For the conditions listed below, | describe: | |
| | The indications received. The operating limitations imp | osed. | |

| 7302.22 | Loss of reduction gear lube oil pressure | SIGNATURE | DATE | P |
|---------|--|-----------|------|---|
| .23 | Loss of diesel engine lube oil pressure | | | |
| .24 | Diesel engine crankcase explosion | | | |
| .25 | Fire in the space | | | |
| .26 | Loss of jacket water pressure in main engines and/or SSDG engine | | | |
| .27 | Loss of electrical power | | | |
| .28 | Loss of seawater cooling pressure | | | |
| .29 | Unusual noises/vibrations in main engines | | | |
| .210 |) Hot spring bearing | | | |

| /G)UZ • 3 | (cont d) | | |
|-----------|--|------|---|
| | SIGNATURE | DATE | |
| | | | |
| | | | |
| | | | |
| | Total Points This Watchstatio Required Fundamental and Syst | | *************************************** |

able to perform.

| Prior to demonstrating your proficiency in these tasks, cofollowing: | omplete |
|--|---------|
| Watchstation: 7302 | |
| Systems: 7216 and 7218 | |

TASKS

7303.1

| 1. | The | correct | proc | edure |
|-----|------|----------|-------|-----------|
| • • | 1110 | 0011000 | pi oc | cuui c. |
| 2 | The | indicati | one | monitored |

A. For the tasks listed below, discuss:

- indications monitored. 3.
- The safety precautions observed. The communications and coordination established.
- В.

Perform the following tasks IAW EOSS/EDORM.

| .11 Receive control of main eng | SIGNATURE ines in | DATE PT |
|---|-------------------|----------|
| 12 Fill and dump clutches on m | nin |] |
| .12 Fill and dump clutches on ma engines | <u></u> | <u> </u> |
| | | |

| engii | nes | | | |
|-------|-------|---------|----|------------|
| Test | pitch | control | in | manual/aut |

to

.13

Transfer throttle control from EOS

. 14 to pilothouse

| 7 | | SIGNATURE | DATE |
|---------|---|---------------|------|
| 7303.17 | Calculate average shaft counter reading | | |
| .18 | Calculate average RPM from total turns | | |
| .19 | Clutch in main engines on a turn- ing shaft | | |
| .110 | Clutch dump main engines on a turning shaft | | |
| .111 | Maintain bell sheet | | |
| 7303.2 | EMERGENCY CONDITIONS A. For the conditions listed below, 1. The indications received. 2. The operating limitations important and a corrective action required. B. Perform or simulate the corrective control | oosed. ed. | |
| | | | |

.22 Loss of lube oil pressure on

| | | 10 |
|--------|--|-----|
| .25 | Loss of fuel oil pressure on main engines | 10 |
| | | 10 |
| 7303.3 | INFREQUENT OPERATIONS | |
| | A. For the operations listed below, discuss: | |
| | The correct procedure. The indications monitored. The safety precautions observed. The communications and coordination established. | |
| | B. Perform or simulate the following operations IAW EOSS/EOCC. | |
| .31 | Manually operate pitch control | 10 |
| | | 10 |
| .32 | Operate fixed-pitch, variable speed control from EOS/pilothouse | 10 |
| | | 10 |
| .33 | Start, stop and control speed of main engine | 10 |
| | | 10 |
| .34 | Operate throttles from pilothouse | 10 |
| | | 10 |
| 7303.4 | Stand four satisfactory watches under qualified supervision. | • |
| | SIGNATURE DATE | PTS |

 $\Gamma \cap$

| C | T | C | N | Δ | T | ı | D | E | |
|----|---|---|---|---|---|---|---|---|--|
| ٠. | 1 | u | W | н | | u | ĸ | г | |

DATE

Total Points This Watchstation Including Required System Sections:

10

| 7304.2 | EMERGENCY CONDITIONS (CONT'D) | • | |
|--------|---------------------------------------|------------------|------|
| | B. Perform or simulate the corrective | e action.IAW EOC | С. |
| .21 | Low water in boiler | SIGNATURE | DATE |
| .22 | High water in boiler | | |
| .23 | Water in fuel oil | | |
| .24 | Loss of fuel oil suction | | |
| .25 | Loss of electrical power | | |
| .26 | Flareback | | |
| .27 | Ruptured fuel oil line | | |
| .28 | Ruptured tube | | |

INFREQUENT OPERATIONS

7304.3

| Α. | For | the | operations | listed | below, | discuss: |
|----|-----|-----|------------|--------|--------|----------|
|----|-----|-----|------------|--------|--------|----------|

- The correct procedure.
 The indications monitored.
- 3. The safety precautions observed.
- The communications and coordination established.
- The conditions that require this infrequent operation. 5.
- В. Perform or simulate the following operations IAW EOSS/EOCC.

| วา | | SIGNATURE | DATE | PTS |
|--------|---------------------------------------|-----------|--------------|-----|
| .31 | | | | 10 |
| | | | | 10 |
| .32 | Steam boiler with high salinity | | | 10 |
| | | | | 10 |
| 7304.4 | Stand four satisfactory watches under | qualified | supervision. | |
| | SIGNATURE | | DATE | PTS |
| | | | | 50 |
| | | | | 50 |

Required Fundamental and System Sections:

Total Points This Watchstation Including

50

50

570

10

Prior to demonstrating your proficiency in these tasks, complete the following:

Fundamentals: 7101, 7105 and 7109

Systems: 7201 and 7222 **TASKS**

| Α. | For | the | tasks | listed | below. | discuss: |
|----|-----|-----|-------|--------|--------|----------|

7305.1

٦. The correct procedure.

2. The indications monitored. 3.

The safety precautions observed.

| | The communications and coord | ination establi | shed. | |
|-----|--|-----------------|-------|-----|
| | B. Perform the following tasks IAW | EOSS. | | |
| 77 | line up distilling plant for steem/ | SIGNATURE | DATE | PTS |
| .11 | Line up distilling plant for steam/ electric operation | | | 10 |
| | | | | 10 |
| .12 | , | | | 10 |
| | plant | | | 10 |
| | | | | 10 |
| .13 | Secure distilling plant | | | 10 |
| | | | | 10 |
| | | | | |

.14 Line up distilling plant distillate for distribution

| 7205 17 | | SIGNATURE DATE |
|---------|--|---------------------|
| /305.1/ | Chemically treat distilling plant using proportioning pump | |
| .18 | Line up hypochlorinator for chlorination of potable water | |
| .19 | Line up ship's service potable water system | |
| 7305.2 | EMERGENCY CONDITIONS | |
| | A. For the conditions listed below, | describe: |
| | The indications received. The operating limitations implies. The corrective action require | |
| | B. Perform or simulate the corrective | ve action IAW EOCC. |
| .21 | High chlorides | |
| .22 | Loss of 50 PSI auxiliary steam | |
| | · | |
| .23 | Broken flowmeter glass | |
| .24 | Loss of electrical newer | |
| . 24 | Loss of electrical power | |

| | | A. For the operations listed below, discuss: | |
|------|-----|--|---|
| | | The correct procedure. The indications monitored. The safety precautions observed. The communications and coordination established. The conditions that require this infrequent operation. | |
| | | B. Perform the following operations IAW EOSS/EOCC. | |
| | .31 | Feed from firemain SIGNATURE DATE | P |
| | .32 | Chemically treat distilling plant using vacuum drag | |
| | .33 | Transfer waste heat | |
| 7305 | .4 | Stand four satisfactory watches under qualified supervision. | |
| | | SIGNATURE DATE | Р |
| | | | |
| | | | |
| | | Total Points This Watchstation Including Required Fundamental and System Sections: | 6 |
| | | | |



| 7306 | WATCHSTATION - LST-1179/1182 CLASS PETTY OFFICER OF THE 7300 WATCH (POOW) | | | | | | |
|--------|--|--|--|--|--|--|--|
| | Objective: This watchstation lists the minimum tasks you should be able to perform. | | | | | | |
| | Prior to demonstrating your proficiency in these tasks, complete the following: | | | | | | |
| | Watchstations: 7301 thru 7305 | | | | | | |
| | Fundamental: 7108 | | | | | | |
| | Systems: 7223 thru 7226 | | | | | | |
| 7306.1 | TASKS | | | | | | |
| | A. For the tasks listed below, discuss: | | | | | | |
| | The correct procedure. The indications monitored. The safety precautions observed. The communications and coordination established. | | | | | | |
| | B. Perform the following tasks IAW EOSS. | | | | | | |
| 7.7 | SIGNATURE DATE PTS | | | | | | |
| .11 | Monitor preparation of engineroom operating logs 10 | | | | | | |
| | 10 | | | | | | |
| .12 | Maintain engineroom equipment | | | | | | |
| | status board 10 | | | | | | |
| 10 | 10 | | | | | | |
| .13 | Supervise and control operation of engineroom 10 | | | | | | |
| | 10 | | | | | | |

| 7306.21 | Loss of governor control | SIGNATURE | DATE |
|---------|---------------------------------------|-----------|------|
| .22 | Loss of standby pitch pump | | |
| .23 | Loss of inching control | | |
| .24 | Overheated spring bearings | | |
| .25 | Overheated reduction gear pinion gear | | |
| .26 | Unusual engine noise/vibration | | |
| .27 | Malfunctioning clutch assembly | | |
| .28 | Malfunctioning turbocharger | | |
| .29 | Contaminated fuel | | |

| | | | | | | , | | | 10 |
|------|------------|----------------|-------|-----------|---------------------------------------|---------|--|-----------|-------|
| | | | | | | | | | 10 |
| .212 | Cyl | inder | ^ not | firing | | | | | 10 |
| | | | | | | | ~ | | 10 |
| 6.3 | INF | REQUE | ENT (| OPERATION | <u>s</u> | | | | |
| | Α. | For | the | operatio | ns listed | below, | discuss: | | |
| | | 1. 2. 3. | The | indicati | procedure. ons monito ve action | | ed. | | |
| | В. | Pert | form | or simul | ate the fo | llowing | g operations | IAW EOSS/ | EOCC. |
| .31 | Con | duct | unde | erway eco | nomy run | | and the state of t | | 10 |
| | | | | | | | | | 10 |
| .32 | Con | duct | unde | erway ful | l-power ru | n | | | 10 |
| | | | | | | | | | 10 |
| .33 | | duct tch : | | | emergency | | | | 10 |
| | | | | | | | | | 10 |
| .34 | Ope byp | | conf | trol air | supply pan | el | | | 10 |
| | | | | | | | | | 10 |
| .35 | Lin | e up | bal | last cool | ing system | I | | | 10 |
| | | | | | | | | | 10 |

| 7306.4 | Stand four satisfactory watches under qualified | supervisio |
|--------|---|------------|
| | SIGNATURE | DATE |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Total Points This Watchstation Including | |

Total Points This Watchstation Including Required Fundamental and System Sections:

Personnel Qualification Standard Information Report and Suggestion Sheet PQS DEVGRU AUTOVON 957-5367

| From | DATE | | | |
|------------------------|---------------------|--|--|--|
| Activity | | | | |
| Mailing Address | | | | |
| | AUTOVON # | | | |
| Qual Standard Affected | NAVEDTRA # | | | |
| Section Affected | | | | |
| Page # | | | | |
| Date Commenced Qual | Date Completed Qual | | | |
| | | | | |

Remarks/Recommendations (Use additional sheets if necessary)

Suggestions for improving this Qual Standard

DEPARTMENT OF THE NAVY

POSTAGE AND FEES PAID DEPARTMENT OF THE NAVY

DOD 316



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

Commanding Officer
Naval Education and Training
Support Center, Pacific
San Diego, CA 92132
Attn: Code N-7